


WPC Fence Gate

Exploded view diagram



Frame 1
(x1pcs)



Frame 2
(x2pcs)



Frame 3
(x1pcs)



Corner Code 1
(x4pcs)




Corner Code 2
(x8pcs)




Screw
(x8pcs)

FENNO Installation Steps




1. Prepare the frame 1 and corner codes

The following describes the installation method for vertical panel fence gates. For horizontal fence gates, the process is identical except for the initial aluminum frame.




2. Install corner codes into the frame 1

The gate has four corners, each requiring corner code 1 and 2 for connection. First, insert one corner code 1 and two corner codes 2 into both ends of the frame 1.



3. Connect door frame 1 and 2

Connect frame 1 with the corner codes attached to the two frames 2, ensuring a tight fit.



4. Screw in fasteners

Use a screwdriver to drive the screws into the screw holes on the frame, securing corner code 1 to the frame.



5. Install WPC fence panels

Insert each WPC fence panel sequentially between the two frames 2, ensuring seamless connections without gaps.




6. Install frame 3 and door lock

Refer to steps 2, 3, and 4: Insert both ends of frame 3 into corner codes 1 and 2, connecting it to the two frames 2. Finally, tighten the screws and install door locks.




Classic WPC Fence

The following are available fence options for gate installations, categorized into Classic Series and Co-extrusion Series. Classic fences combine superior performance with classic woodgrain finishes at an affordable price point, specifically designed for easy DIY installation.




Item No: BT-150H21
Size: 150×21 mm



Item No: BT-162H20
Size: 162×20 mm

Co-extrusion WPC Fence

Our co-extrusion WPC fencing combines the properties of wood-plastic composite material with the advantages of UV-resistant co-extrusion technology, delivering exceptional durability and lasting aesthetic appeal in harsh outdoor environments.




Item No: BT-C190H20-Q
Size: 190×20 mm



Item No: BT-C150H20
Size: 150×20 mm



Item No: BT-C160H20
Size: 160×20 mm



Item No: BT-C163H20
Size: 163×20 mm

Color Choices

